

# HEMS HW selection table

## KIT

name	description	code	status	mounting
<a href="#">HEMS set 1P</a>	HEMS starter kit, single phase	HEMS-1P-D-02	available	Cabinet; DIN rail 6+1 M
<a href="#">HEMS set 1P</a>	HEMS starter kit, Enocan, single phase	HEMS-1P-D-01	available	Cabinet; DIN rail 6+1 M
<a href="#">HEMS set 3P</a>	HEMS starter kit, three phase	HEMS-3P-D-02	available	Cabinet; DIN rail 6+4 M
<a href="#">HEMS set 3P</a>	HEMS starter kit, Enocan, three phase	HEMS-3P-D-01	available	Cabinet; DIN rail 6+4 M

## HIQ controllers & IEX Modules

name	description	code	status	mounting
<a href="#">Master Controller</a>	230 VAC, 11 IO, Enocan, 2 × RS232, RS485, IEX2 terminals	MC-230-01	available	Cabinet; DIN rail 6 M

## Accessories

name	description	code	status	mounting
<a href="#">Temperature sensor</a>	Steel tube housing IP 67, 5m wire	ES-B-IQ	available	
<a href="#">Temperature sensor</a>	white housing, terminals	ES-W-OW-WHITE	available	In-field; on wall
<a href="#">Temperature sensor</a>	ivory housing, terminals	ES-W-OW-IVORY	available	In-field; on wall
<a href="#">Temperature and Humidity Sensor</a>	Temperature and Humidity Sensor	RB-100-TH	available	wall
<a href="#">Wireless Modbus-to-Modbus bridge</a>	Wireless Modbus-to-Modbus bridge	WM-1	available	Cabinet, in-field
<a href="#">Wireless Modbus Relay</a>	Wireless Modbus Relay	WR-1	available	Cabinet, in-field

## Power sensors

name	description	code	status	mounting
<a href="#">Single phase power-sensor</a>	1-phase power sensor, DIN rail	PM1-E-D	available	Cabinet, DIN rail 1M

name	description	code	status	mounting
<a href="#">Single phase power-sensor, CT</a>	1-phase power sensor, DIN rail, CT	PM1-E-D-CT	available	Cabinet; DIN rail 1 M
<a href="#">Three phase power-sensor</a>	3-phase power sensor, DIN rail	PM3-I-D	available	Cabinet; DIN rail 3 M
<a href="#">Three phase power sensor</a>	3-phase power sensor, DIN rail	PM3-E-D	available	Cabinet, DIN rail 4M
<a href="#">Three phase power sensor, CT</a>	3-phase power sensor, DIN rail, CT	PM3-E-D-CT	available	Cabinet; DIN rail 4 M
<a href="#">1-ph current transformer</a>	1-phase split core current transformer, 50A	CT-1-E-50	available	on wire
<a href="#">3-ph current transformer</a>	3-phase split core current transformer, 50-400A	CT-3-E-XX	available	on wire

## EnOcean

name	description	code	status	mounting
<a href="#">Smart plug</a>	Enocean wireless smart plug with metering, Schuko	SCM-WE-F	available	In-field; power outlet
<a href="#">Micro smart plug</a>	Enocean wireless micro smart plug, Schuco	SMM-WE-F	available	In-field; power outlet
<a href="#">Temperature sensor</a>	Enocean wireless temperature sensoren	TS-WE-W1	request	In-field; on wall
<a href="#">Temperature and humidity sensor</a>	Enocean wireless temperature and humidity sensor	TSH-WE-W1	request	In-field; on wall
<a href="#">Relay Switch</a>	Enocean wireless relay switch, 1 channel	RS1-WE-F1	request	In-field; flush box
<a href="#">Relay Switch</a>	Enocean wireless relay switch, 2 channels	RS2-WE-F2	request	In-field; flush box

## ZigBee

name	description	code	status	mounting
<a href="#">Wireless gateway</a>	RS485/modbus to ZigBee gateway	GW-WN-W	EOL	In-field; on wall
<a href="#">Wireless bridge</a>	ZigBee to RS485/modbus bridge	BR-WN-W	EOL	In-field; on wall
<a href="#">Wireless DIN rail power sensor</a>	single phase, DIN rail	PM1-WN-D	EOL	Cabinet; DIN rail 3 M
<a href="#">Wireless on wall power sensor</a>	single phase, on wall	PM1-WN-W	EOL	In-field; on wall
<a href="#">Wireless relay</a>	single relay	RL1-WN-W	EOL	In-field; on wall
<a href="#">Wireless smart plug</a>	ON/OFF, metering, Schuko	SC1-WN-F	EOL	In-field; power outlet
<a href="#">Wireless temperature &amp; humidity sensor</a>	single temperature, white	TSH-WN-W	EOL	In-field; on wall
<a href="#">Wireless sensor module</a>	2 NTC, 2 digital input	TDI-WN-W	EOL	In-field; on wall

## TEM

name	description	code	status	mounting
<a href="#">Decorative frame</a>	- elox silver line plastic for 3M	OL30ES	request	
<a href="#">Decorative frame</a>	- elox silver line plastic for 4M	OL40ES	request	
<a href="#">Decorative frame</a>	- elox silver soft plastic for 3M	OS30ES	request	
<a href="#">Decorative frame</a>	- elox silver soft plastic for 4M	OS40ES	request	
<a href="#">Decorative frame</a>	- black soft plastic for 3M	OS30SB	request	
<a href="#">Decorative frame</a>	- black soft plastic for 4M	OS40SB	request	
<a href="#">Decorative frame</a>	- hammered steel metal for 3M	OP30MH	request	
<a href="#">Decorative frame</a>	- hammered steel metal for 4M	OP40MH	request	
<a href="#">Decorative frame</a>	- satin silver metal for 3M	OP30MS	request	
<a href="#">Decorative frame</a>	- satin silver metal for 4M	OP40MS	request	
<a href="#">Decorative frame</a>	- bamboo wood for 3M	OP30WB	request	
<a href="#">Decorative frame</a>	- bamboo wood for 4M	OP40WB	request	
<a href="#">Decorative frame</a>	- maple wood for 3M	OP30WM	request	
<a href="#">Decorative frame</a>	- maple wood for 4M	OP40WM	request	
<a href="#">Decorative frame</a>	- wenge wood for 3M	OP30WE	request	
<a href="#">Decorative frame</a>	- wenge wood for 4M	OP40WE	request	
<a href="#">Decorative frame</a>	- ice white glass for 3M	OP30GW	request	
<a href="#">Decorative frame</a>	- ice white glass for 4M	OP40GW	request	
<a href="#">Decorative frame</a>	- ice grey glass for 3M	OP30GY	request	
<a href="#">Decorative frame</a>	- ice grey glass for 4M	OP40GY	request	
<a href="#">Push button</a>	- 1way, polar white	SM11PW	request	
<a href="#">Push button</a>	- 1way, soft touch black	SM11SB	request	
<a href="#">Push button</a>	- 1way, elox silver	SM11ES	request	
<a href="#">Push button</a>	- 1way, indicator, polar white	SM11PWIN	request	
<a href="#">Push button</a>	- 1way, indicator, soft touch black	SM11SBIN	request	
<a href="#">Push button</a>	- 1way, indicator, elox silver	SM11ESIN	request	
<a href="#">Push button</a>	- shutters, polar white	SM41PWNT10	request	
<a href="#">Push button</a>	- shutters, soft touch black	SM41SBNT10	request	

name	description	code	status	mounting
<a href="#">Push button</a>	- shutters, elox silver	SM41ESNT10	request	
<a href="#">Fixing frame</a>	- size 3M	NM30	request	
<a href="#">Fixing frame</a>	- size 4M	NM40	request	
<a href="#">Flush box</a>	- for brick, size 3M, depth 65mm	DM31	request	
<a href="#">Flush box</a>	- for brick, size 4M, depth 65mm	DM41	request	
<a href="#">Flush box</a>	- for hollow wall, size 3M, depth 49mm	HM30	request	
<a href="#">Flush box</a>	- for hollow wall, size 4M, depth 49mm	HM40	request	
<a href="#">Flush box</a>	- for concrete, size 3M, depth 60mm	BM30	request	
<a href="#">Flush box</a>	- for concrete, size 4M, depth 60mm	BM40	request	

From:

<http://wiki.hiq-home.com/> -

Permanent link:

<http://wiki.hiq-home.com/doku.php?id=en:hems:hardware&rev=1567085853>

Last update: **2019/08/29 13:37**

