HIQ UNIVERSE - Service provider

Accounts with access level of service provider have additional fields available:

- Instance manager
- Data API account manager
- Fleet manager

Side menu

HIQ Universe User instances × +				- 🗆 ×
(←) → ⊂ ŵ	https://my.hiq-universe.com/rs/sa/hiq_user_instance_manager/inde	ex	(110%) 🚥 🗟 🏠	III\ 🗉 📽 🖯 😑
×			<u>ب</u>	robotina
HOME PAGE				
TOOLS				
Profile	+			
Instance manager				
Reports				
Data API account manager				
Fleet:				
Sign out				
	Cobotina			
	OIC - Hrpelje 38 SI-6420 Kozina Slovenia	+386(0)5 689 2020 info@robotina.com www.robotina.com	Company Support Wiki	
	Siovenia	f y a a	WIKI	
	Powered by: SMIP v. 2.24.r2,	CyBroScgiServer Credits: Famfamfam Silk Ico	ns, Fugue Icons	

Side menu is activated by clicking menu icon (three horizontal lines at top-left). Menu items are dynamically created so they can be different for each service provider:

- Home page \rightarrow section with all your subscribed HIQ Universe devices and services
- **TOOLS** → section with general site tools
 - $\circ \ \text{Profile}$
 - Instance manager → "Overview of installed systems"
 - $\circ\,$ Reports \rightarrow Subscription to reports (Depending on the installation).
 - Data API account manager → "API key management"
 - Fleet manager → "Aggregation and overview of service providers installed systems"
 - Sign out

Overview of installed systems

Last update: 2021/04/07 en:hems_v1_2_0:universe_service_provider http://wiki.hiq-home.com/doku.php?id=en:hems_v1_2_0:universe_service_provider&rev=1617807908 15:05

5:05			
HIQ Universe Instance manager × +		😞 –	
C 🟠 🛛 🗋 https://my.hiq-universe.com/rs/sa/instance_manager/index	110% … 🕑 ☆	III\ 🖽	۲ 🕲
HIQ Universe	robotina		
nstances (961)			🔘 Add
H Filter: HIQ Universe			
Title	* Туре	Users	Status
🛞 🌺 🔚 : : : : : : : : : : : : : : : : : :	HEMS(IoT)	🤱 o 🔔 o	×
🖲 🌺 🗮 🛲 😌 🚃 📲	HEMS(IOT)	🤽 o 🔔 o	×
	HEMS(IoT)	🤱 o 🔔 o	~
	HEMS(IoT)	2 o 🍰 o	 ✓
	Dynamic D3	🤽 O 🔔 I	0
	Dynamic D3	🤽 O 🝰 I	0
	Dynamic D3	🤱 o 🔔 o	0
	Flex	🤽 1 👗 O	 Image: A start of the start of
	Flex	🤽 1 🔔 O	~
	Flex	🤽 1 👗 O	~
	Dynamic D3	🤱 I 🔔 O	 ✓
	Flex	🤽 1 👗 O	 Image: A second s
🕖 🌺 isanaitane. 55	HEMS	🤽 o 🔔 o	0
🕖 🌺 <u>Section in the P.S. M. Butter CONSONT (</u>	Smart Grid	🤱 O 🔔 I	~
🕖 🌺 Bilishtid Hacen	Flex	🤽 1 🔔 O	~
🕖 🌺 tealing	Flex	🤽 1 🔔 O	~
M. Lemeinte two estimates	Dynamic	🤽 1 🔔 O	~
🕖 🌺 Lemen Lema 💷	HEMS	🤱 o 🔔 o	0
🕖 🌺 <u>Lenne lans (70): PREMIN ROBLEC (70)</u>	Smart Grid	🤽 O 🔔 1	 Image: A second s
	Flex	🤽 1 🔔 O	0
🕖 🌺 Landar Seelik Siight – 729	HEMS	🤽 o 🔔 o	0
🕖 🌺 Saalaa Seeliik Siig 🗤 🐄 🗠 SK SCH ROBASS (* 300	Smart Grid	<u>&</u> 1_&1	 ✓
🖲 🧛 <u>2018 Sovelman yn pazie Br</u>	GOFLEX realm aggregate	🤱 o 🔔 o	 Image: A second s
🛞 🧏 <u>2013. Street - ac an </u>	GOFLEX realm aggregate	🤱 o 🔔 o	 Image: A second s

Table shows all installed systems by the service provider and their additional info:

- Name
- Type
- Users
- Status

Clicking on the instance name will take you to instance home page as seen by end users. Clicking on the plus sign displays additional instance info:

- Basic details
- User's details

	ny.hiq-universe.com/rs/sa/instance_manager/index		0.0.0
		HEMS(IoT)	🤽 o 🔔 o 🛛 🕕
Basic details 🤱 Users' details			
🎤 Edit			🗍 Delete
Basic information			
Identification			
Created Sep 30, 2020 11:40:25 AM			
Modified Oct 10, 2020 01:32:54 PM			
Last accessed Oct 10, 2020 12:30:29 AM	CEST		
✗ Connections			
Connections			
This instance does not have any connection	'n.		
Instance parameters			
IoT Linker serial number			
Scripts Enabled	false		
HEMS version location_name	HEMS2 time_on_site		
_	?		
location latitude			
	?		
location_latitude location_longitude Description	?		
location_longitude Description	? 5		
location_longitude			
location_longitude Description Maximum daily power (kW)	5		
location_longitude Description Maximum daily power (kW) Maximum daily energy (kWh)	5 40		
location_longitude Description Maximum daily power (kW) Maximum daily energy (kWh) Maximum monthly energy (kWh)	5 40 500 1000 EUR		
location_longitude Description Maximum daily power (kW) Maximum daily energy (kWh) Maximum monthly energy (kWh) Maximum production or consumption (W)	5 40 500 1000 EUR 3		
location_longitude Description Maximum daily power (kW) Maximum daily energy (kWh) Maximum monthly energy (kWh) Maximum production or consumption (W) Currency Maximum daily value (EUR) Maximum monthly value (EUR)	5 40 500 1000 EUR 3 15		
location_longitude Description Maximum daily power (kW) Maximum daily energy (kWh) Maximum monthly energy (kWh) Maximum production or consumption (W) Currency Maximum daily value (EUR) Maximum monthly value (EUR) Maximum price (EUR)	5 40 500 1000 EUR 3 15 1		
location_longitude Description Maximum daily power (kW) Maximum daily energy (kWh) Maximum monthly energy (kWh) Maximum production or consumption (W) Currency Maximum daily value (EUR) Maximum monthly value (EUR) Maximum price (EUR) icon	5 40 500 1000 EUR 3 15 1 1 hems_ikona		
location_longitude Description Maximum daily power (kW) Maximum daily energy (kWh) Maximum monthly energy (kWh) Maximum production or consumption (W) Currency Maximum production or consumption (W) Currency Maximum monthly value (EUR) Maximum monthly value (EUR) Maximum price (EUR) icon Type label	5 40 500 1000 EUR 3 15 1 1 hems_ikona HEMS		
location_longitude Description Maximum daily power (kW) Maximum daily energy (kWh) Maximum monthly energy (kWh) Maximum production or consumption (W) Currency Maximum daily value (EUR) Maximum monthly value (EUR) Maximum price (EUR) icon	5 40 500 1000 EUR 3 15 1 1 hems_ikona		
location_longitude Description Maximum daily power (kW) Maximum daily energy (kWh) Maximum monthly energy (kWh) Maximum production or consumption (W) Currency Maximum production or consumption (W) Currency Maximum monthly value (EUR) Maximum monthly value (EUR) Maximum price (EUR) icon Type label	5 40 500 1000 EUR 3 15 1 1 hems_ikona HEMS		

Basic details displays information about the system. Here you can find:

- Basic info
- Connections
- Instance parameters
- Instance controllers

Parameters can also be changed with a click on Edit button.

15.05								
HIQ Universe Instance manager	× +						-	o x
← → ♂ ☆	🛛 🔒 https://my.hiq-universe.com/rs/sa/instance_manager/index			110% 🗹) 合	⊥ 11/	۲ ۲	; (1)
\equiv					ro	botina		D
Instances (I)								
Filter:								
Title				^ ту	pe	Use		Status
	Plane 4			HE	MS(IoT)	2	1 🝰 0	×
😗 Basic details 🤱 Users' det	tails							
. Owners							🔘 Ad	4
Owner email address							Remov	e
sacuroniteSyndi con							0	
🝰 Guests							O Ad	1
Guest email address				Share content	Share reports	Allow write to device	Remov	e
There are no guests on this in	nstance.							
Save users								
					Nur	mber of records	to display	25 🗸
	Cobotina							
	OIC - Hrpelje 38 SI-6420 Kozina Slovenia	+386(0)5 689 2020 info@robotina.com www.robotina.com	Company Support Wiki					
		f 🖌 🖬 🖪						
	Powered by: SMIP v. 2.24	r2, CyBroScgiServer Credits: Famfamfam Sill	k Icons, Fugue Icons					

User's details shows all user that have access to this instance.

Owners can be added or removed and have overview, control and settings over this instance. Guest account can be added or removed and will have an overview of an instance. We can select if we want to share reports with guests and to allow writing to the device. Guests can not change the settings.

API key management

:0 ≡

HIQ Universe Da	ata API account ma × +						📟 –	- 0	×
← → ⊂ ଢ	🛛 🔒 https;	//my.hiq-universe.com/rs/sa/dataapi_account_manager,	/index		110% 🛛 🏠		\ ⊡	۲ 🕲	≡
	Nobotina HIQ Universe				Л.	robotina			
Data API accou	unt manager								
Data API accou	unt						6	Delete	
Created	Apr 7, 2021 1:09:54 PM								
Enabled									
API-KEY	Apr 7, 2021 1:09:54 PM	Show Renew							
		Crobotina							
		OIC - Hrpelje 38 SI-6420 Kozina Slovenia	+386(0)5 689 2020 info@robotina.com www.robotina.com	Company Support Wiki					
			f ¥ 🛛 🖈						
		Powered by: SMIP v. 2.1	24.r2, CyBroScgiServer Credits: Famfamfam	Silk Icons, Fugue Icons					

An application programming interface key (API key) is a unique identifier used for calling program with an API.

Clicking on Create account will create a new Data API key that can be renewed or deleted.

Aggregation and overview of service providers installed systems

HIQ Universe	nstance mana	iger ×	HIQ Universe	Fleet	× +													-		
-) → ሮ ŵ			🛛 🔒 https:/	/my.hiq-universe	.com/rs/sa/fle	et_manag	er/6/index							80%) •••	⊠ ☆	lii1\	•	3 🔋	
E Robotina RiQ Universe 🛱																				
ens hero chi																				
ealm 📃			Filter:																	
Instance 🔺	SN ¢	ls online	Online status changed	Linker online (last day in seconds)	Last reboot	Linker SW ver	Types version	Init Phase	(CPU Temperature	MEM Available	Unpublished messages):	at ÷	мс	Last MC online	Prog MC	Documentation			DR Status	
1523 (4626) 2525 (46	SH00-240	1	2021-04-07 06:41:28	86249	2021-04-06 12:14:51	1.0.31	1.5	4	68	475	0	2021-04-07 13:35:25	30529	2021-04-07 13:40:25	1.1.3	{"VANILLA":"0005", "lo	g4j": "updated" }		0	Π
153 428 159 - 12	504004242	0	2021-04-01 07:25:48	0	2021-03-30 12:49:11	1.0.31	1.5	4	58	511	0	2021-04-01 07:19:32	30525	2021-04-01 07:24:32	444	{ "VANILLA":"0003", "S "SYSUP-0015":"2020-0 0016":"2020-06-05" }	YSUP-0007":"2020 6-05", "SYSUP-	0-06-05",	0	
1535 (6 <u>72)</u> 2535, 186	54004251	0	2021-04-06 12:14:26	44054	2021-04-01 09:10:08	1.0.31	1.5	4	62	469	0	2021-04-06 12:10:37	30528	2021-04-06 12:10:37	444	{ "VANILLA":"0003", "S "SYSUP-0015":"2020-0 0016":"2020-06-05" }	YSUP-0007":"2020 6-05", "SYSUP-	0-06-05",	0	
153 453 5328	544004258	1	2021-04-07 05:50:36	86400	2021-03-09 17:04:17	1.0.41	1.5	4	59	383	0	2021-04-07 13:34:41	30549	2021-04-07 13:39:41	1.1.3	{ "VANILLA":"0003", "S "SYSUP-0015":"2020-0 0016":"2020-06-05" }	YSUP-0007":"2020 6-05", "SYSUP-	0-06-05",	0	
58 4/2 54 / 75	54400-4256	1	2021-04-07 11:38:06	86245	2021-04-06 12:15:57	1.0.36	1.5	4	59	533	0	2021-04-07 13:36:27	30546	2021-04-07 13:41:27	1.1.3	{ "VANILLA":"0003", "S "SYSUP-0015":"2020-0 0016":"2020-06-05" }	YSUP-0007":"2020 6-05", "SYSUP-	0-06-05",	0	

Aggregation and overview or so called fleet is a section where all relevant data from installed systems is collected and displayed. This section can vary amongst providers as the interface can be modified to suit the needs of individual service provider.

