
# Single phase power-sensor

#### 1-phase power-sensor, current transformer



Model number:	PM1-E-D-CT	
	MC-230	
Connect to:	RS485 power sensor bus A - B	
Mounting:	DIN rail, 1M, 18 mm	
Dimensions:	18 × 62 × 119 mm	
Used for measuring power and energy of		
✓ single-	single-phase energy sources	
✓ single-	single-phase energy consumers	

## **Applications**

• Digital multi-function power sensor for single phase networks

#### **Features**

- DIN rail mounting with 50A current transformer
- Compact design in a single module 18mm wide
- Seal-able cover(phase and neutral terminals)

### **General description**

The PM1-E-D series is an advanced single phase energy monitoring solution with built-in configuration push button and LCD data displaying, particularly indicated for active energy and other parameters metering and for cost allocation. Housing for DIN-rail mounting,IP51 protection degree, direct connection up to max 45A.


## **Technical specifications**

Technical Data	
Operating Humidity	≤ 75%

Storage Humidity	≤ 95%
Operating Temperature	-20°C - +50°C
Storage Temperature	-30°C - +70°C
International Standard	IEC 62053-21
Accuracy	Class 1
Mounting	DIN rail (DIN 43880)
Sealing	IP51 Indoor
Nominal Voltage Input	(Ph+N) 230V AC (176-276V AC)
Max Continuous Voltage	120% of nominal
AC Voltage Withstand	4KV for 1 minute
Impulse Voltage Withstand	6KV-1.2μS
Current Input	0.25-5A(6)A AC RMS
Operational Current Range	0.4% lb-lmax
Over current withstand	20Imax for 0.01s
Nominal Input Current Burden	0.5VA
Frequency	50Hz(±10%)
Power Consumption	≤ 2W/10VA/phase
Accuracy	
Voltage, Current	0.5%
Frequency	0.2% of Mid-Frequency
Power Factor	1% of Unity (0.01)
Active Power, Apparent Power	$\leq 1\%$ of Range Maximum
Reactive Power	$\leq 1\%$ of Range Maximum
Reactive Energy (Varh)	Class 2
Active Energy (Wh)	Class 1
Modbus	
Bus Type	RS485 (Semi-Duplex)
Protocol	Modbus RTU
Baud Rate	1200/2400/4800/9600bps
Address Range	1-247
/ taran 000 + tarrigo	CAnaa
Max. Bus Loading	64pcs
	1000 Meters
Max. Bus Loading	<b>'</b>
Max. Bus Loading Communication Distance	

http://wiki.hiq-home.com/ Printed on 2025/08/23 14:03

## **SDM120 Terminals**



sdm120ct\_series\_datasheet.pdf sdm120ct\_protocol.pdf

From:

http://wiki.hiq-home.com/ -

Permanent link:

http://wiki.hiq-home.com/doku.php?id=en:hiq\_hw:pm1-e-d-ct&rev=1563956176

Last update: 2019/07/24 08:16

