

Thermostat and scene controller

thermostat with display and configurable buttons



Model number:	TH-3-IQ
Mounting:	on-wall, 60mm junction box
Dimensions:	136×96×36mm

Applications

- room / heating zone thermostat
- scene controller

Features

- alternate setpoint
- fan options:
 - manual fan speed
 - fan speed limits
 - fan-max with time limitation
- night mode
- various sensor options:
 - internal
 - external
 - remote
- massive aluminum body
- glass cover plate
- IR receiver
- configurable buttons
- white-blue alphanumeric display
- mechanical buttons with click
- built in relative humidity sensor

General description

TH-3-IQ module belongs to room/zone thermostat controllers. It can be used for any heating and/or cooling system including: fan-coils, hot water or electrical radiators, ceiling fans, floor/ceiling heating/cooling, split AC. TH series provide maximum comfort and energy saving functionality. Set-

points are selectable on the unit or through other devices. Advanced functionality including smart-phone operation, internet operation, scheduling, HIQ automations, automatic weather response and more are provided when connected to HIQ Home Controller and HIQ universe.


In addition TH-3-IQ provides complete configurable scene controller functionality.

Technical specification

Window switch input:	internal pull-up 12V, 2mA
Temperature measurement:	internal or external ES/ES-A
Power supply:	24V/25mA
Ingress protection:	IP20
Operating temperature:	0..45°C
Storage temperature:	-20..75°C
Relative humidity:	0..95% n/c

Terminals

IEX2 BUS	+24V	IEX2 bus
	CANH	
	CANL	
	GND	
Window magnetic switch	IX0	Digital input
	GND	
External temperature sensor ES / ES-A	TS1	Temperature sensor input
	GND	



When installing: "Autoaddress" button will link FC-1-IQ unit with lowest serial number with thermostat with lowest serial number and so on.

From:
<https://wiki.hiq-home.com/> -

Permanent link:
https://wiki.hiq-home.com/doku.php?id=en:hiq_hw:th-3-iq&rev=1563950431

Last update: **2019/07/24 06:40**

