Touch thermostat


**Room temperature and fan control **



Model number:	**TH-HI-yy**
Colours: yy	**01:black, 02:white, 03:gold; 09:custom any colour**
Mounting:	on-wall, UK style, 77×77×45mm or 86×86×45mm
Dimensions:	105×86×(10)42mm
Connection:	RS485 to HIQ MC controller
Operating temperature:	-10℃ to +60℃
Working humidity:	0 to 95% non condensing

High sensitivity capacitive touch screen technology with LED backlight display.

HI-BUS module as a part of the complete HIQ-Hotel solution.





4mm Tempered Glass Crystal Panel, Anti-scratch, Waterproof, Leak-proof, Easy to clean.

Back box is using V0 level ABS fire retardant material to meet international fire safety standards.

Panel color, icons look, backlight LED colour and hotel logo can be customized to match with hotel corporate identity.




ROOM STATUS
Status
room_mode
Free
0=RM_FREE
Booked
1=RM_BOOKED
Check in
2=RM_CHECKIN
Holder
room_holder
Empty
0=RH_EMPTY
Staff
1=RH_STAFF
Guest
2=RH_GUEST
Defect
room_defect
No defect
0
Defect
1
Cleaning
room_cleaned
Cleaned
0
Not cleaned
1
Temperature
room_temp_reg
OK
0=RT_OK
To high
1=RT_HI
To low
2=RT_LO
SOS
room_sos_state
OK
0=SOS_OK
Call
1=SOS_CALL
Confirmed
2=SOS_ACKED



From:
https://wiki.hiq-universe.com/ -

Permanent link:
https://wiki.hiq-universe.com/doku.php?id=en:hiq_hw:th-hi

Last update: **2021/05/05 06:17**