

- HIQ wiki
 - HIQ Home
 - Introduction
 - Controlled devices
 - Overview
 - Advanced features
 - Technology
 - Hardware
 - Applications
 - Commander
 - Custom app
 - Configurator
 - Manual Detect
 - Manual Address
 - myHIQ
 - Pralines
 - EnOcean
 - IR blaster
 - Universe
 - Methods & Resources
 - Designing
 - Wiring
 - Commissioning
 - Firmware update
 - Firmware compatibility
 - Customization
 - Custom functionality
 - Marketing
 - FAQ
 - Download
 - HIQ Hotel
 - GRMS
 - GRMS examples
 - Software
 - Hardware
 - HIQ Office
 - Access-iQ
 - Hardware
 - Applications
 - Configurator
 - Resources
 - Lighting-iQ
 - Use-cases
 - Living room
 - Staircase
 - Transitional spaces
 - Bathroom
 - Outdoor
 - Offices
 - Corporate
 - Meeting room

- [HEMS](#)
 - [Introduction](#)
 - [Hardware](#)
 - [Software](#)
 - [Methods and resources](#)
 - [Safety instructions](#)
 - [Wiring](#)
 - [Commissioning](#)
 - [Manufacture](#)
 - [Universe](#)
 - [Marketing](#)
 - [Download](#)
- [HEMS v1.2.0](#)
 - [Introduction](#)
 - [Hardware](#)
 - [Wiring](#)
 - [Safety instructions](#)
 - [Software](#)
 - [Commissioning](#)
 - [Safety instructions](#)
 - [Universe](#)
 - [Universe - Service provider](#)
 - [Marketing](#)
 - [Download](#)
 - [Firmware update](#)
- [RDX Charger](#)
 - [Introduction](#)
 - [Safety instructions](#)
 - [Hardware](#)
 - [RDX Charger](#)
 - [Mounting](#)
 - [Wiring](#)
 - [Software](#)
 - [Commissioning](#)
 - [Power Sensor](#)
 - [Power Plant](#)
 - [Wireless WR1 & WM1](#)
 - [Heat Pump](#)
 - [Universe](#)
 - [Download](#)
 - [Firmware update](#)
- [eStore](#)
- [GOFLEX HEMS](#)
 - [Introduction](#)
 - [Hardware](#)
 - [Software](#)
 - [Methods and resources](#)
 - [Wiring](#)
 - [Commissioning](#)
 - [Universe](#)
 - [API](#)

- Alarms and notifications
- Marketing
- Download
- HEMS Nedo Idrija
 - Introduction
 - Hardware
 - Universe
 - Download
- S Gate SG3-M1
 - Typical installations
 - Configurator
 - Count limit status
 - Disinfectant status
 - Temperature scanner status
 - Code reader status
 - Confirmation status
 - Entry status
- HIQ S Gate
 - Configuration manual
 - User manual
 - Function
 - LED Display
 - Graphical Display
 - Configuration
 - TOF sensor setup
 - HW
 - Central control unit
 - QR code and RFID card reader
 - TOF sensor
 - Face scanner
- HIQ Universe
- BMS
 - Introduction
 - Buildings
 - Apartment Complexes
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
 - Office
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
 - Restaurant & Bar

- Introduction
- Hardware
- Applications
- Universe
- Methods & Resources
- Marketing
- FAQ
- HIQ Shopping
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
- HIQ School
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
- HIQ Auditorium
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
- HIQ Factory
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
- HIQ Warehouse
 - Introduction
 - Hardware
 - Applications
 - Universe
 - Methods & Resources
 - Marketing
 - FAQ
- HIQ Hardware
 - HEMS set 1P
 - HEMS set 3P
 - RDX Charger

- HIQ Home set
- Master Controller
- Master Controller
- Master Controller
- HIQ controller
- IOT-L2-2
- IOT-L2-W
- Light Controller
- LED stripe dimmer
- Light dimmers driver
- DALI dimmer
- Blinds controller
- Blinds controller
- Scene panel
- Touch scene panel
- Scene controller
- Touch thermostat
- Electronic thermostat
- Blind thermostat
- Room panel
- Fan-coil controller
- GRMS IO expansion
- GRMS IX expansion
- Home linker
- Azure linker
- Touch thermostat
- Key-card holder
- Touch buttons
- In-room info panel
- Room info panel
- Door bell
- Card reader interface
- Card reader
- USB Card reader
- RFID Card
- Mifare lock
- Management software
- Smart plug
- Metering smart plug
- Micro smart plug
- Relay switch
- Blinds controller
- Soft remote
- Soft button
- Wall switch
- Key-card holder
- Opening sensor
- Temperature sensor
- Temperature and humidity sensor
- Motion sensor
- Wireless gateway

- Wireless bridge
- Wireless DIN rail power sensor
- Wireless on wall power sensor
- Wireless relay
- Wireless smart plug
- Wireless temperature and humidity sensor
- Wireless sensor module
- Wireless Modbus-to-Modbus bridge
- Wireless Modbus Relay
- Power supply
- Power supply
- Power supply
- Remote controller
- Buttons
- Pushbuttons illumination
- Power meter converter
- Bus extender
- Bus cable
- Motion sensor
- Temperature sensor
- Single phase power-sensor
- Single phase power-sensor
- Three phase power-sensor
- Three phase power-sensor
- Three phase power-sensor
- Current transformer
- Lightness sensor
- Light dimmer driver
- LED stripe
- LED power supply
- Power relay
- Opening sensor
- GSM stand-alone
- GSM modem
- Temperature probe
- FST200-201A
- PIR sensor
- PIR sensor
- 2ch IR blaster
- 8ch IR blaster
- Push-button module
- Demo Suitcase
- Demo Suitcase and set
- Demo wall
- Decorative frame
- Push-button
- Fixing frame
- Flush box
- TP-9A-IQ
- TP-9B-IQ
- TP-7A-IQ

- TP-10A-IQ
 - Contact
 - HIQ Software Tools *
 - Partners area
 - Price List
 - HIQ Home
 - HIQ GRMS
 - HIQ HEMS
 - Internal documents
- Internal
 - Specifications
 - HIQ Hardware
 - Sections
 - HIQ Systems
 - Discount Classes
 - Statuses
 - Suppliers
 - Miscellaneous
 - Work Logs
- MS wiki
 - HIQ Lighting
 - Hardware
 - Software
- Digital Services

From:

<http://wiki.hiq-home.com/> -



Permanent link:

<http://wiki.hiq-home.com/doku.php?id=en:menu&rev=1674736829>

Last update: **2023/01/26 12:40**