- HIQ wiki
  - HIQ Home
    - Introduction
      - Controlled devices
      - Overview
      - Advanced features
      - Technology
    - Hardware
    - Applications
      - Commander
        - Custom app
      - Configurator
        - Manual Detect
        - Manual Address
      - myHIQ
    - Pralines
      - EnOcean
      - IR blaster
    - Universe
    - Methods & Resources
      - Designing
      - Wiring
      - Commissioning
        - Firmware update
          - Firmware compatibility
      - Customization
        - Custom functionality
    - Marketing
    - FAQ
    - Download
  - HIQ Hotel
    - GRMS
      - GRMS examples
    - Software
    - Hardware
  - HIQ Office
  - Access-iQ
    - Hardware
    - Applications
      - Configurator
    - Resources
  - Lighting-iQ
    - Use-cases
      - Living room
      - Staircase
      - Transitional spaces
      - Bathroom
      - Outdoor
      - Offices
      - Corporate

        - Meeting room
- HEMS
    - Introduction
    - Hardware
    - Software
    - Methods and resources
        - Safety instructions
        - Wiring
        - Commissioning
        - Manufacture
    - Universe
    - Marketing
    - Download
- HEMS v1.2.0
    - Introduction
    - Hardware
    - Wiring
        - Safety instructions
    - Software
    - Commissioning
        - Safety instructions
    - Universe
        - Universe - Service provider
    - Marketing
    - Download
        - Firmware update
- RDX Charger
    - Introduction
    - Safety instructions
    - Hardware
        - RDX Charger
        - IOT-L2-2
        - IOT-L2-W
        - Wireless Modbus-to-Modbus bridge
        - Wireless Modbus Relay
        - Single phase power-sensor
        - Three phase power-sensor
        - Wireless 1-phase PS kit
        - Wireless 3-phase PS kit
        - Protective roof
        - Freestanding set
    - Mounting
    - Wiring
    - Software
    - Commissioning
        - Power Sensor
        - Power Plant
        - Wireless WR1 & WM1
        - Heat Pump
        - Dynamic Current Limiter
        - EV fleet

        - Universe
        - Download
            - Firmware update
    - eStore
    - GOFLEX HEMS
        - Introduction
        - Hardware
        - Software
        - Methods and resources
            - Wiring
            - Commissioning
        - Universe
            - API
            - Alarms and notifications
        - Marketing
        - Download
    - HEMS Nedo Idrija
        - Introduction
        - Hardware
        - Universe
        - Download
    - S Gate SG3-M1
        - Typical installations
        - Configurator
            - Count limit status
            - Disinfectant status
            - Temperature scanner status
            - Code reader status
            - Confirmation status
            - Entry status
    - HIQ S Gate
        - Configuration manual
        - User manual
        - Function
            - LED Display
            - Graphical Display
        - Configuration
            - TOF sensor setup
        - HW
            - Central control unit
            - QR code and RFID card reader
            - TOF sensor
            - Face scanner
    - HIQ Universe
    - BMS
        - Introduction
        - Buildings
            - Apartment Complexes
                - Introduction
                - Hardware
                - Applications

    - Universe
    - Methods & Resources
    - Marketing
    - FAQ
- Office
    - Introduction
    - Hardware
    - Applications
    - Universe
    - Methods & Resources
    - Marketing
    - FAQ
- Restaurant & Bar
    - Introduction
    - Hardware
    - Applications
    - Universe
    - Methods & Resources
    - Marketing
    - FAQ
- HIQ Shopping
    - Introduction
    - Hardware
    - Applications
    - Universe
    - Methods & Resources
    - Marketing
    - FAQ
- HIQ School
    - Introduction
    - Hardware
    - Applications
    - Universe
    - Methods & Resources
    - Marketing
    - FAQ
- HIQ Auditorium
    - Introduction
    - Hardware
    - Applications
    - Universe
    - Methods & Resources
    - Marketing
    - FAQ
- HIQ Factory
    - Introduction
    - Hardware
    - Applications
    - Universe
    - Methods & Resources
    - Marketing

        - FAQ
    - HIQ Warehouse
        - Introduction
        - Hardware
        - Applications
        - Universe
        - Methods & Resources
        - Marketing
        - FAQ
- HIQ Hardware
    - HEMS set 1P
    - HEMS set 3P
    - HIQ Home set
    - Master Controller
    - Master Controller
    - Master Controller
    - HIQ controller
    - IOT-L2-2
    - IOT-L2-W
    - Light Controller
    - LED stripe dimmer
    - Light dimmers driver
    - DALI dimmer
    - Blinds controller
    - Blinds controller
    - Scene panel
    - Touch scene panel
    - Scene controller
    - Touch thermostat
    - Electronic thermostat
    - Blind thermostat
    - Room panel
    - Fan-coil controller
    - GRMS IO expansion
    - GRMS IX expansion
    - Home linker
    - Azure linker
    - Touch thermostat
    - Key-card holder
    - Touch buttons
    - In-room info panel
    - Room info panel
    - Door bell
    - Card reader interface
    - Card reader
    - USB Card reader
    - RFID Card
    - Mifare lock
    - Management software
    - Smart plug
    - Metering smart plug

- Micro smart plug
- Relay switch
- Blinds controller
- Soft remote
- Soft button
- Wall switch
- Key-card holder
- Opening sensor
- Temperature sensor
- Temperature and humidity sensor
- Motion sensor
- Wireless gateway
- Wireless bridge
- Wireless DIN rail power sensor
- Wireless on wall power sensor
- Wireless relay
- Wireless smart plug
- Wireless temperature and humidity sensor
- Wireless sensor module
- Wireless Modbus-to-Modbus bridge
- Wireless Modbus Relay
- Power supply
- Power supply
- Power supply
- Remote controller
- Buttons
- Pushbuttons illumination
- Power meter converter
- Bus extender
- Bus cable
- Motion sensor
- Temperature sensor
- Single phase power-sensor
- Single phase power-sensor
- Three phase power-sensor
- Three phase power-sensor
- Three phase power-sensor
- Current transformer
- Lightness sensor
- Light dimmer driver
- LED stripe
- LED power supply
- Power relay
- Opening sensor
- GSM stand-alone
- GSM modem
- Temperature probe
- FST200-201A
- PIR sensor
- PIR sensor
- 2ch IR blaster

        - 8ch IR blaster
        - Push-button module
        - Demo Suitcase
        - Demo Suitcase and set
        - Demo wall
        - Decorative frame
        - Push-button
        - Fixing frame
        - Flush box
        - TP-9A-IQ
        - TP-9B-IQ
        - TP-7A-IQ
        - TP-10A-IQ
    - Contact
    - HIQ Software Tools *
    - Partners area
        - Price List
            - HIQ Home
            - HIQ GRMS
            - HIQ HEMS
        - Internal documents
- Internal
    - Specifications
    - HIQ Hardware
        - Sections
        - HIQ Systems
        - Discount Classes
        - Statuses
        - Suppliers
    - Miscellaneous
    - Work Logs
- MS wiki
    - HIQ Lighting
        - Hardware
        - Software
- Digital Services

From:
https://wiki.hiq-home.com/ -

Permanent link:
https://wiki.hiq-home.com/doku.php?id=en:menu&rev=1675939832

Last update: **2023/02/09 10:50**