













# HIQ Lighting HW selection table

## HIQ Lighting controllers & IEX button/relay/driver Modules

LIGHTING TYPE	DISCRETE ON/OFF	UNIVERSAL DIMMABLE	DALI	DMX	LED STRIPE
HIQ LCS OUTPUT DEVICES	 LC-8-IQ LC-10-IQ	 LD-P4-IQ	 LD-D8-IQ		 LD-V4-IQ

- LCS controller [MC-230](#)
- 10 8A relay output module [LC-10-IQ](#)
- 8 10A relay output module [LC-10-IQ](#)
- Universal dimmable module [LD-P4-IQ](#)
- DALI module [LD-D8-IQ](#)
- DMX module [LD-DMX-IQ](#)
- Led stripe module [LD-V\\$-IQ](#)

HIQ LCS INPUT DEVICES	WIRED				WIRELESS		
	INPUTS ON LC/LD- MODULES	FLUSH MOUNT MODULES	SCENE PANELS TOUCH BUTTONS	MOTION SENSORS	WALL BUTTONS	SOFT REMOTES	MOTION SENSORS
	 <p>LC-8-IQ LC-10-IQ LD-P4-IQ LD-D8-IQ</p>	 <p>SW-W3-IQ O2-IQ</p>	 <p>Bx-HI SC-4T-IQ</p>	 <p>IR-C6-IQ IR-580-IQ</p>	 <p>EN-WS-WT-IQ</p>	 <p>EN-SR-xx-IQ</p>	 <p>EN-MS-WT-IQ</p>

## Field Input Devices

- any push buttons on binary inputs of LCS controller [MC-230](#) or any other IEX module (DIN rail mount, flush mount or field device)
- [touch buttons](#) on Modbus port of LCS controller [MC-230](#)
- EnOcean wireless [Wall button](#) or [Soft remote](#) on EnOcean receiver of LCS controller [MC-230](#) or IEX-2 EnOcean receiver for switches
- [Scene panel](#) on IEX bus
- [On wall or on ceiling long range motion sensor](#) on binary inputs of LCS controller [MC-230](#) or any other IEX module (DIN rail mount, flush mount or field device)
- [False ceiling EnOcean wireless Motion sensor](#) on EnOcean receiver of LCS controller [MC-230](#) or IEX-2 EnOcean receiver for switches

## HIQ LCS OUTPUT DEVICES

From:  
<http://wiki.hiq-home.com/> -

Permanent link:  
[http://wiki.hiq-home.com/doku.php?id=en:ms\\_main:hiq\\_lighting:hardware&rev=1587829842](http://wiki.hiq-home.com/doku.php?id=en:ms_main:hiq_lighting:hardware&rev=1587829842)

Last update: **2020/04/25 15:50**

